

## Flag State Inspection Reporting Form (FORM NMA-19\_FSI.2024.Rev1)

		No	ites:				
	<ol> <li>This form is to be completed by the FSI Inspector and inspectors shall provide written comments where appropriate to document the vessel's condition and crew competence.</li> </ol>						
	<ol> <li>A copy of any deficiencies that are issued shall be listed on Form NMA-20_DEF and given to the Master (with a copy attached to FORM NMA-19_FSI) upon completion of the inspection.</li> </ol>						
Vessel Name Type of Vessel IMO Number		Official Nu	mber	Gross Tonnage	Year Built		
Date /	Time Inspection Started	Date / Time Inspect	ion Ended		Country / Port of Ins	spection	
Inspec	ction Type	<u> </u>	Contact de	tails of DF	PA (as listed and availa	ble on vessel)	
☐ An							
Name of Company Rep (if onboard)  Contact details (address/phone/email) of Company Rep (if onboard)				ırd)			
Name	of FSI Inspector	Company Name of	FSI Inspecto	SI Inspector FSI Inspector ID Card			
	1: MANNING & MLC		Yes No	N/A	Rema	arks	
1.*	Ship Manning (see MC-2/2006/0						
_	<ul> <li>Manned as per minimum safe r</li> </ul>						
2.		nanning certificate?					
	Medical						
	Medical  Person in charge of medical ca	re designated?					
	Medical     Person in charge of medical ca     Medical first aid provider design	re designated?					
	Medical     Person in charge of medical ca     Medical first aid provider design     Master states all crew are medical.	re designated? nated? ically fit for duty?					
3.	Medical     Person in charge of medical ca     Medical first aid provider design	re designated? nated? cally fit for duty? est hours					
3.	Medical  Person in charge of medical ca  Medical first aid provider design  Master states all crew are med Records of seafarers' work and r  Comply with STCW & ML 11/2012/1) Watchkeeping schedule posted a	re designated? nated? cally fit for duty? est hours C 2006? (see MC-					
3.	Medical  Person in charge of medical ca  Medical first aid provider design  Master states all crew are med Records of seafarers' work and r  Comply with STCW & ML 11/2012/1)  Watchkeeping schedule posted a	re designated? nated? cally fit for duty? est hours C 2006? (see MC-					
3.	Medical  Person in charge of medical ca  Medical first aid provider design  Master states all crew are med Records of seafarers' work and r  Comply with STCW & ML 11/2012/1) Watchkeeping schedule posted a	re designated? nated? cally fit for duty? est hours C 2006? (see MC- and easily accessible. osted or not and Crew					
3. 4. MLC 2	Medical  Person in charge of medical ca  Medical first aid provider design  Master states all crew are medical cases are states all crew are medical crew are m	re designated? nated? nated? ically fit for duty? est hours C 2006? (see MC- and easily accessible.					
3. 4. MLC 2 5.	Medical  Person in charge of medical ca  Medical first aid provider design  Master states all crew are med Records of seafarers' work and r  Comply with STCW & ML 11/2012/1)  Watchkeeping schedule posted a  On board compliant procedure p is familiarized with the procedure  SEA  Signed by seafarer and Crew has original contra	re designated? nated? nated? ically fit for duty? est hours C 2006? (see MC- and easily accessible. osted or not and Crew owner.					
3. 4. MLC 2 5.	Medical  Person in charge of medical ca  Medical first aid provider design  Master states all crew are med Records of seafarers' work and r  Comply with STCW & ML 11/2012/1)  Watchkeeping schedule posted a  On board compliant procedure p is familiarized with the procedure  SEA  Signed by seafarer and Crew has original contra  Comply with MLC 2006	re designated? nated? nated? ically fit for duty? est hours C 2006? (see MC- and easily accessible. osted or not and Crew owner.					
3. 4. MLC 2 5.	Medical  Person in charge of medical ca  Medical first aid provider design  Master states all crew are med Records of seafarers' work and r  Comply with STCW & ML 11/2012/1)  Watchkeeping schedule posted a  On board compliant procedure p is familiarized with the procedure  SEA  Signed by seafarer and Crew has original contra	re designated? nated? nated? ically fit for duty? est hours C 2006? (see MC- and easily accessible. osted or not and Crew owner. act.					

<sup>\*</sup> Priority Item

Defici	encies / Observations / Comments - PART 1: MANNING	G & MI	LC				
PART	2: SAFETY MANAGEMENT SYSTEM (SMS)	Yes		No	N	N/A	Remarks
1.	SMS Manual and Documents		+		•		Remarks
	Written in language understood by crew?				-	<u> </u>	
	Maintenance procedures complied and recorded?						
	Includes Plan for drills and training?  Provided to be a second provided						
	Procedures for Internal Audit & Management Review?						
	Procedures in place for contacting the company in an						
_	emergency?		1	$\overline{}$	1	_	
2.	Crew Responsibilities	Ш		Ш		Ш	
	Master & Officers can identify designated person?						
	Master carrying out his/her SMS responsibilities?						
	Crew familiar with company safety & environmental						
	protection policy?			_			D :
3. 4.*	Master has completed SMS review as per ship's SMS?		-	屵		<u>H</u>	Date:
4."	Evidence	$\sqcup$		Ш		Ш	
	Ship provides SMS familiarization for new crew?						
	Ship reports non-conformities as required by SMS?						
	Company takes corrective action when appropriate?						
	Ship conducts emergency drills/exercises?						
	Ship maintains & tests critical equipment & records						
	results in accordance with SMS?						
	• Equipment condition indicates effective maintenance						
5.*	system?  Non-conformities – Any outstanding or overdue?		1	$\overline{}$		$\overline{}$	
Dofici	encies / Observations / Comments - PART 2: SAFETY	MANA	GE		IT.	CAC.	TEM (SMS)
Delici	encies / Observations / Comments - PART 2: SAFETT	WANA	GE		<b>И</b> I .	313	I EIVI (SIVIS)

<sup>\*</sup> Priority Item

PART	3: SECURITY	Yes	No	N/A	Remarks
1.	Vessel operates on at least the security level set by the port?				
2.	Officers and crew know the ship's current security level and their own duties for each level? Can crew identify CSO?				
3.*	Effective system of control of access to the vessel in place?				
4.	Restricted areas of vessel marked and access restricted?				
5.	Required security drills & annual security exercise conducted?				
6.	SSO familiar with terminal security procedures and local contact information?				
Defici	encies / Observations / Comments - PART 3: SECURIT	Υ			

<sup>\*</sup> Priority Item

DADT	4. DRILLS AND RECORDS				
	4: DRILLS AND RECORDS				
	respectors shall make an effort to hold a fire and abandon				
	Irill where practicable. In addition, the inspector should the crew on emergency response scenarios such as spill	Yes	No	N/A	Remarks
	nse, security, or pump room or cargo hold confined space				
	rescue to verify crew preparedness.)				
1.	Weekly, monthly, quarterly and annual inspections of				
	safety equipment, survival craft, rescue boats and				
_	launching appliances carried out and recorded?				
2.	Required weekly emergency preparedness and	Ш		ΙШ	
	response drill or training conducted and recorded?				
3.*	Lifeboat Launching (see MC-11/2011/1):			Ш	
	<ul> <li>Davit launched – (≤3 months)</li> </ul>				
	<ul> <li>Freefall (launched or simulated launch) – (≤6 months)</li> </ul>				
	(boarded) – (≤3 months)				
	(a) In the case of a lifeboat arranged for free-fall launching				
	from a height of 20m or less - at least once every 3 months				
	during an abandon ship drill the crew shall board the				
	lifeboat, properly secure themselves in their seats and				
	commence launch procedures up to but not including the actual release of the lifeboat (i.e. the release hook shall				
	not be released). The lifeboat shall then either be free-fall				
	launched with only the required operating crew on board,				
	or lowered into the water by means of a secondary means				
	of launching with or without the operating crew on board.				
	In both cases the lifeboat shall thereafter be maneuvered				
	in the water by the operating crew. At intervals of not more				
	than 6 months, the lifeboat shall either be launched by				
	free-fall with only the operating crew on board, or				
	simulated launching shall be carried out.				
	(b) In the case of a lifeboat arranged for free-fall launching				
	(b) In the case of a lifeboat arranged for free-fall launching from a height of more than 20m – launching by falls is				
	acceptable, provided that a simulated free-fall launch is				
	conducted at least once every 6 months.				
4.	Radio Log Books properly maintained? (see MC-				
	12/2011/1)				
	• Required daily, weekly and monthly tests of the				
	GMDSS including reserve power testing carried out?				
5.	Required security drills & annual security exercise				
	conducted?				
6.*	Emergency generator has been tested and recorded?				Date of last test:
7.*	Fire and Abandon Ship Drills carried out?				Type of drills held:
	Senior officers and staff effectively coordinated				
	drill/response?				
	Crew familiar with emergency response duties &	1			
	procedures?				
	Crew knowledgeable in use of ship's safety &				
	response equipment?				
	Officers & crew able to communicate in a common				
	language and work effectively as a team?				
	Crew donned correct personal protective equipment?				
	• Crew familiar with lowering/launching lifeboats, life				
	rafts and rescue boat?				
	• Crew demonstrated proper operation of "on load"				
	release gear?				
	• Fireman outfits properly outfitted and in good				
	condition?				
	Breathing Apparatus air bottles filled?				
	- Disating Apparatus an Dottics inica:	l			<u> </u>

<sup>\*</sup> Priority Item

Defic	iencies / Observations / Comments - PART 4: DRILLS A	AND RE	CORD	<u>S</u>	
DADT	E. OREDATIONAL TEST	Voc	No	NI/A	Remarks
1.*	5: OPERATIONAL TEST Engine Room quick closing valves & emergency stop for	Yes	No	N/A	Remarks
'-	pumps				
2.*	Emergency Fire Pump				
	Water pressure satisfactory?				
	Crew familiar with starting/operating procedures?				
3.*	Fire Screen Doors				
	Free from manual hold backs?				
4 *	Self closing doors close properly?				
4.*	Fire Dampers				
	<ul> <li>Engine room dampers tested in good working order?</li> <li>Stack dampers visually examined locally and tested to</li> </ul>				
	seal properly and are in good working order?				
	Other fire dampers and ventilation closing appliances,				
	including gaskets, handles and other mechanical				
	mechanisms in good working condition and close				
5.*	properly? Water tight door satisfactory?				
6.*	Emergency shutdowns satisfactory?	$\vdash \vdash \vdash$			
7.*	High bilge alarms satisfactory?				
8.*	Steering gear alarms satisfactory?				
9.*	Emergency lightings satisfactory?				
10.*	General alarm and engineer's alarm for unmanned				
11.*	machinery system working properly?  Emergency generator has been tested and load				
11.	supplied?				
	• Starting arrangement working properly? (2 different		l.	1	
	sources of power for starting)				
	Ventilation and air supply system working properly				
	Quick closing valve working properly.				
	Emergency switchboard in satisfactory condition?				
	• Starting batteries and charging arrangements, where				
12.*	fitted, checked and charger operating correctly?  Oily Water Separation (OWS) system, including all				
12.	piping and solenoid valve arrangements in good				
	operable condition?				
	15-ppm alarm and automatic closing system or pump		•		
	shutdown working properly?				
	Free of leakages?				
	Three way valve operable?				
1	No suspicious piping_flanges_and/or hoses?	1			1

<sup>\*</sup> Priority Item

Deficiencies / Observations / Comments - PART 5: OPERATIONAL TEST					

<sup>\*</sup> Priority Item

	6: BRIDGE & NAVIGATION EQUIPMENT	Yes	No	N/A	Remarks
	ollowing navigation equipment operating properly?)				
1.*	Radars				
	• 3GHz Radar / S-Band				
	9GHz Radar / X-Band     ABBA				
	ARPA and radar plotting facilities  Clab at Novigetian Setallite System (and MC 43/2040/4)				
2.	Global Navigation Satellite System (see MC-12/2010/1)			$\vdash$	
3.	Magnetic compass (see MC-2/2011/1)				
	Visible form the steering position?				
	Updated calibration table available?				
4	Compass error regularly checked and recorded?  Gyro compass master and repeaters				
4.	Compass master and repeaters     Compass error regularly checked and recorded?			ш	
5.	Echo sounding device				
6.	Course recorder			H	
7.	Rate of Turn Indicator (≥50,000 GT)	H	H	H	
8.	Maneuvering characteristics	H	H	H	
9.	Speed & distance indicator through the water (not GPS			╅	
0.	over ground)				
10.*	VDR or SVDR				
	Annual examination and test conducted?				
	Maximum period between test is 18 months unless				
	certificate has been extended (MSC.1/Circ 1222)				
	Three way valve operable?				
	No suspicious piping, flanges, and/or hoses?				
11.	AIS (see MC-23/2012/1)				
12.	SART (Battery not expired)				
13.	EPIRB (Battery not expired)				
	Capable of floating free?				
	Hydrostatic release valid?				
	Annual test done?				
14.	Distress & Emergency Equipment stowed on or near the				
	bridge?				
	Rocket parachute flares (12) (expiry)				
	4 Line Throwing rockets (expiry)				
	Life jackets lights (expiry)				
	Exposure suits (expiry)				
15.	VHF/Portables				
	Portable VHF batteries expiry				
	All operational				
16.	Inmarsat C				
	Navigational warnings are observed periodically				
	Weekly tested and DC operation				
	LRIT working or not     SAAC look together with Flore and with Company				
17.	SSAS last testing with Flag and with Company.  NAVTEX				
''.	Warnings are observed on Charts and ECDIS			╽╙	
18.	GMDSS	П		П	
10.	MF/HF DSC and INM-C battery tested				
19.	Navigation lights including duplication and failure alarm	П	П	$\vdash \sqcap$	
20.*	Charts & Publications (see MC-1/2011/1)	П	П	H	
	Nautical publications, including sailing directions, list				
	of lights, tide tables, notice to mariners and other				
	publications for intended voyage on board and current				
	to the latest editions and corrections?				
	Nautical charts (ENCs) updated to the latest available				
	notice to mariners?				
	Current chart catalog provided				
	If equipped with ECDIS as primary only, backup				
	current paper charts provided?				
	If equipped with ECDIS as backup also, evidence of				
	proper training provided.				
	ECDIS familiarzation checklist for all officers  CODIC Constitution and Constitution and different actions and constitution and different actions are activities as a few all actions are all actions are activities as a few all actions are activities as a few all actions are activities as a few all actions are activities and actions are activities as a few all actions are activities and actions are activities and actions are activities as a few all actions are activities and actions are activities and activities activi				
	ECDIS Specific and General training certificates for all				
1	officers	l			

<sup>\*</sup> Priority Item

	• Illustrated table of life saving signals posted on the				
	bridge?				
21.	Berth to berth passage plan available including Under				
23.	Keel Clearance? BNWAS alarm, password protected and in operational?		П		
24.	Fire Detection Panel and Fixed Fire alarm	H	H	H	
	ass Deck				
25.	Masts and attachments				
26.	Ventilation closures				
27.	Standard Compass				
	<ul> <li>Bubbles or not.</li> </ul>				
	Deviation not more than 7 degree or not			]	
28.	Antennae Inspections				
29.	Navigation Lights (RAM/NUC)	<u> </u>	<del>                                     </del>	<u> </u>	
30. 31.	MOB light buoy proper arrangement  Emergency lightings are marked or not and light on		<del> </del>		
31.	emergency operational or not.				
	emergency operational or net.				
Defici	encies / Observations / Comments - PART 6: BRIDGE	& NAV	IGATIO	N EQU	IPMENT

<sup>\*</sup> Priority Item

PART	7: CREW ACCOMMODATIONS & GENERAL SAFETY	Yes	No	N/A	Remarks
1.	Galley & food				
	<ul><li>Food storage adequate?</li></ul>				
	<ul><li>Spaces free from insects, rodents, and other pests?</li></ul>				
	Galley range hood and grease traps clean and free of				
	grease?				
	<ul> <li>Galley fire suppression systems serviced and operable (if fitted)?</li> </ul>				
	Meat room, fist room and vegetable room temperature is at adequate setting				
	Alarm system in frozen rooms are tested.				
2.	Hoses & deck fittings for receiving and producing potable water in acceptable condition?				
3.	Accommodations (see MC-7/2012/1 and MC-13/2010/1)				
	Spaces clean and in habitable condition?				
	<ul> <li>Ventilation &amp; heating in accommodation spaces adequate?</li> </ul>				
	Lighting adequate?				
	Sanitary facilities, including sinks, toilets and showers clean and in acceptable condition?				
	Shipboard working arrangement table posted and				
	contains required information?				
	• Ship specific SOLAS training manuals available in				
	each crew mess and recreation room, or in each crew				
	cabin and in the language of the crew?  • Legible, up-to-date fire control plans posted in				
	accommodation spaces and stored in weather tight				
	containers outside deckhouse?				
4.	Hospital (see MC-2/2007/12/2 and MC-14/2011/1)				
	• If provided, is the hospital clean, properly equipped and ready for use?				
	Medical chest complete and inventory current				
	Any Expired Medicine				
	Oxygen respirator is ready for use				
	Stretcher ready				
5.*	Escape ways accessible, free of obstructions, properly lighted?				
6.	IMO symbols used for marking escape ways and locations of emergency equipment?				
7.*	Pilot ladders and related boarding arrangements clean and in good condition?				
8.	Sanitation Equipment				
	Rat guards and traps		_		
	<ul> <li>Cockroach killers and insecticides</li> </ul>				
	<ul> <li>Chlorine for Fresh Water</li> </ul>				
9.	Gas Detectors are provided or not with 1 year validity calibration certificate.				
Defici	encies / Observations / Comments - PART 7: CREW A	CCOM	<b>IODAT</b>	IONS 8	& GENERAL SAFETY

<sup>\*</sup> Priority Item

PART	8: LIFESAVING APPLIANCES	Yes	No	N/A	Remarks
1.	Life buoys with reflective tape, markings, lights and				
2.	smoke signals on board in required number/locations?  Required numbers of lifejackets with whistles, retroreflective material and lights available and in good				
	condition?				
3.*	Required number of immersion suits and thermal protective aids available, proper size for crew, and serviced as per manufacturer's specs (≤3 years)?				
4.	Muster lists and emergency instructions provided to crew and posted on the bridge, engine room and accommodations?				
5.	Operating instructions for lifesaving appliances posted on scene under emergency illumination?				
6.*	Lifeboats, Rescue Boat, Launching Appliances	П		П	
	<ul> <li>Lifeboat davits, limit switches, fall, sheaves, winches, brakes and associated equipment in satisfactory condition? No wastage, doublers or fractures.</li> </ul>				
	<ul> <li>Wire falls renewed at intervals not exceeding 5 years?</li> <li>On-load release gear overhauled and tested at 5-year intervals?</li> </ul>				
	• Lifeboat hulls, rudders, propellers and other fittings in satisfactory condition?				
	<ul> <li>Lifeboat and rescue boat engines operate satisfactorily?</li> </ul>				
	<ul> <li>Lifeboat inventory complete and in good condition (spot check)?</li> </ul>				
	Rescue boats in good condition?				
7.*	Life rafts				
	Life rafts stowed properly and capable of floating free?				
	Life rafts painters and hydrostatic releases properly connected via a weak link?				
8.	Embarkation ladders in good condition including forward ladder?				
	Ladders reach water level in light ship condition?				
	All embarkation areas properly illuminated?				
Defici	encies / Observations / Comments - PART 8: LIFESAV	<u>'ING AF</u>	PLIAN	CES	

<sup>\*</sup> Priority Item

PART	9: FIREFIGHTING EQUIPMENT	Yes	No	N/A	Remarks
1.	Weekly, monthly and quarterly maintenance, testing				Romano
''	and inspection of fire detection, extinguishing systems				
	and appliances carried out and recorded by crew? (see				
	MC-7/2011/1)				
2.	Portable fire extinguishers		П	П	Annual Date:
	Surveyed annually and contents verified (weighted)				Bi-annual Date:
	etc.) biennially?				
	In correct locations as per fire control plan and in good				
	condition?				
	Required number of spares provided?				
3.*	Fire Main and Station	П			
	Fire pumps in proper working condition and deliver				
	adequate water pressure?				
	• Piping, couplings and valves free of corrosion,				
	doublers and soft patches? No leaks?				
	Stations: Hose, nozzle and spanner? Nozzle spray				
	adjustments workable and hoses not deteriorated?				
4.	Foam analyzed within required intervals? (3 years for				
	new foam concentrates stored on board; 1 year	]		1	
	thereafter)				
5.*	Paint locker fire extinguishing system installed?				
	• All paint properly stored in the pain locker? (see MC-				
	14/2010/1)				
	MSDS is observed in Paint Locker				
6.	Emergency Escape Breathing Devices (EEBDs) in good				
	condition?				
7.	International shore connection available (bolts				
	included)?				
Fire C	ontrol Station				
8.	Fire Fighting Outfit and Equipment				
	<ul> <li>Adequate set</li> </ul>				
	<ul> <li>All complete fire fighting equipment</li> </ul>				
9.	Remote stops/fuel shutoffs, identify which were tested				
10.	Fixed Fire Supression System Controls				
11.	SCBA Set				
	<ul> <li>Familiarization with crew</li> </ul>				
	<ul> <li>Adequate spare bottles</li> </ul>				
	<ul> <li>All set has adequate pressure</li> </ul>				
Defici	encies / Observations / Comments - PART 9: FIREFIG	HTING	EQUIP	MENT	
I					

<sup>\*</sup> Priority Item

PART	10: HULL	Yes	No	N/A	Remarks
1.	Plimsoll mark properly marked and painted, corresponding to the Loadline certificate				
2.	Draft marks properly marked and painted on bow and stern?				
3.	Condition of shell plating satisfactory?				
	<ul><li>Shell plating pitted or corroded?</li></ul>				
	<ul><li>Major indents in the shell plates?</li></ul>				
	<ul><li>Improper repairs or doublers?</li></ul>				
4.	Openings in hull satisfactory?				
	<ul> <li>Structure of side shell doors and/or bow/stern doors sound and gaskets satisfactory?</li> </ul>				
	Cleats and closing appliance satisfactory?				
	<ul> <li>Alarms including remote locations in good working order?</li> </ul>				
5.	Condition of deck plating satisfactory?				
	<ul> <li>Alarms including remote locations in good working order?</li> </ul>				
	<ul> <li>Is there any damage, pitting or heavy corrosion?</li> </ul>				
6.*	Condition of hatch covers satisfactory?				
	Gasket, channel, clamps in good condition?				
	Water-tight?				
	Non-return valves in good condition?				
7.	Condition of rails/bulwarks, doors and their supports satisfactory?				
	<ul><li>Doors in guardrail/bulwarks in good condition?</li></ul>				
8.	All deckhouses, superstructure & their closing appliances satisfactory?				
9.	Small hatches and closing arrangements in good condition?				
	<ul> <li>Covers cleats, gaskets and hinges in satisfactory condition?</li> </ul>				
10.	Deck scupper pipes free of obstructions and in good condition?				
11.*	Air pipes/closing appliances in acceptable condition & operable?				
	Flame screen fitted in oil tank air pipes?				
12.	Ventilation trunks in satisfactory condition?				
13.*	Watertight doors/rubber gaskets in satisfactory condition?				
	Cleats in place and in suitable condition?				
	Gasket in place and sufficient for watertightness?				
14.	Windows and portholes/side scuttles acceptable?				
	<ul> <li>Glass &amp; closing appliances in satisfactory condition?</li> </ul>				
	<ul><li>Deadlights in place or available?</li></ul>				
15.	Anchors, windlasses & mooring arrangements satisfactory?				
	<ul><li>Anchors and chain in good condition?</li></ul>				
	<ul><li>Windlass in good operable condition?</li></ul>				
	<ul> <li>Mooring winches in good operable condition?</li> </ul>				
	Sufficient mooring ropes and in good condition?				
	Hydraulic piping in good condition and free of leaks?				
16.	Maintenance of masts, cranes and rigging satisfactory?				
	Cargo gear register available and signed off?				
17.	Electrical systems and cables on deck & masts in acceptable condition?				
	<ul> <li>Cables protected and properly secured?</li> </ul>				
	<ul> <li>Equipment protected and in acceptable condition?</li> </ul>				

<sup>\*</sup> Priority Item

	ALL TANK VESSELS:					
18.	Fore and aft walkways and gangways in acceptable condition?					
19.	Cargo & ballast deck lines in good condition & free of leakages?					
20.*	Pressure/Vacuum (PV) valves free of leakages, working and in acceptable condition?					
21.	Flame screen installed in PV breaker?					-
22.	Emergency towing arrangement fitted and in acceptable condition?					
23.*	Pump room clean and in satisfactory condition?					
	Fire extinguishing systems satisfactory?		ned Spa			
	Pump room safety equipment in good condition?		precaut	tions		
	No cargo pump leaks?	taken	?			
24.	Cargo control room equipment in good workable condition?					
	Gauges operable and giving the proper indications?					
	Is there any damage, pitting or heavy corrosion?					
Defici	iencies / Observations / Comments - PART 10: HULL					
D.4.D.7	244. MACHINEDY AND ELECTRICAL	Yes		N/A	Remarks	
PARI	11: MACHINERY AND ELECTRICAL	res	l NO	I IN/A		
1.	11: MACHINERY AND ELECTRICAL Engine Control Room	les	No 🗆	IN/A	Kemarko	
	Engine Control Room	Tes	NO		Komarko	
	Engine Control Room  • Main & Auxiliary panels in good condition?	Tes	NO		Kemano	
	<ul><li>Engine Control Room</li><li>Main &amp; Auxiliary panels in good condition?</li><li>Switchboard gauges in good working condition?</li></ul>	Tes	NO		- Nomano	
	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> </ul>	Tes	NO		Kemano	
	<ul><li>Engine Control Room</li><li>Main &amp; Auxiliary panels in good condition?</li><li>Switchboard gauges in good working condition?</li></ul>		NO D		·	
1.	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings</li> </ul>		NO D		·	
2. 3.	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> </ul>		NO D		·	
1.	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> </ul>				·	
2. 3.	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> </ul>				- Normanio	
2. 3. 4.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> </ul>				- Normania	
2. 3.	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> </ul>				- Normanio	
1. 2. 3. 4.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> </ul>				- Normanio	
2. 3. 4.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> </ul>				- Tromanic	
1. 2. 3. 4.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> </ul>				- Normanio	
1. 2. 3. 4.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> <li>Double wall fuel pipes fitted and in good condition?</li> </ul>				- Normanio	
1. 2. 3. 4.* 5.* 6.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> <li>Double wall fuel pipes fitted and in good condition?</li> <li>Exhaust system lagging in good condition?</li> </ul>					
1. 2. 3. 4.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> <li>Double wall fuel pipes fitted and in good condition?</li> <li>Exhaust system lagging in good condition?</li> <li>Boilers and steam systems appear satisfactory and free</li> </ul>					
1. 2. 3. 4.* 5.* 6.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> <li>Double wall fuel pipes fitted and in good condition?</li> <li>Exhaust system lagging in good condition?</li> <li>Exhaust system lagging in good condition?</li> <li>Boilers and steam systems appear satisfactory and free of excessive leakages?</li> <li>Lagging on boiler exhaust and steam lines appear</li> </ul>					
1. 2. 3. 4.* 5.* 6.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> <li>Double wall fuel pipes fitted and in good condition?</li> <li>Exhaust system lagging in good condition?</li> <li>Boilers and steam systems appear satisfactory and free of excessive leakages?</li> <li>Lagging on boiler exhaust and steam lines appear satisfactory?</li> <li>Exhaust manifold and exhaust lines in satisfactory</li> </ul>					
1. 2. 3. 4.* 5.* 6.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> <li>Double wall fuel pipes fitted and in good condition?</li> <li>Exhaust system lagging in good condition?</li> <li>Boilers and steam systems appear satisfactory and free of excessive leakages?</li> <li>Lagging on boiler exhaust and steam lines appear satisfactory?</li> <li>Exhaust manifold and exhaust lines in satisfactory condition?</li> <li>All necessary lagging in place and in satisfactory</li> </ul>					
1. 2. 3. 4.* 5.* 6.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> <li>Double wall fuel pipes fitted and in good condition?</li> <li>Exhaust system lagging in good condition?</li> <li>Boilers and steam systems appear satisfactory and free of excessive leakages?</li> <li>Lagging on boiler exhaust and steam lines appear satisfactory?</li> <li>Exhaust manifold and exhaust lines in satisfactory condition?</li> <li>All necessary lagging in place and in satisfactory condition?</li> <li>All necessary lagging in place and in satisfactory condition?</li> </ul>					
1. 2. 3. 4.* 5.* 6.*	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> <li>Double wall fuel pipes fitted and in good condition?</li> <li>Exhaust system lagging in good condition?</li> <li>Boilers and steam systems appear satisfactory and free of excessive leakages?</li> <li>Lagging on boiler exhaust and steam lines appear satisfactory?</li> <li>Exhaust manifold and exhaust lines in satisfactory condition?</li> <li>All necessary lagging in place and in satisfactory</li> </ul>					
1. 2. 3. 4.* 5.* 6.* 7.	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> <li>Double wall fuel pipes fitted and in good condition?</li> <li>Exhaust system lagging in good condition?</li> <li>Boilers and steam systems appear satisfactory and free of excessive leakages?</li> <li>Lagging on boiler exhaust and steam lines appear satisfactory?</li> <li>Exhaust manifold and exhaust lines in satisfactory condition?</li> <li>All necessary lagging in place and in satisfactory condition?</li> <li>All necessary lagging in place and in satisfactory condition?</li> <li>Engine room vent &amp; ducting systems in good condition?</li> <li>Pumps, valves and piping free of patches and leakages?</li> </ul>					
1. 2. 3. 4.* 5.* 6.* 7. 8.	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> <li>Double wall fuel pipes fitted and in good condition?</li> <li>Exhaust system lagging in good condition?</li> <li>Exhaust system lagging in good condition?</li> <li>Exhaust system leakages?</li> <li>Lagging on boiler exhaust and steam lines appear satisfactory?</li> <li>Exhaust manifold and exhaust lines in satisfactory condition?</li> <li>All necessary lagging in place and in satisfactory condition?</li> <li>Engine room vent &amp; ducting systems in good condition?</li> <li>Engine room vent &amp; ducting systems in good condition?</li> <li>Pumps, valves and piping free of patches and leakages?</li> <li>Feed &amp; cooling pumps, piping and valves in good condition?</li> </ul>					
1. 2. 3. 4.* 5.* 6.* 7. 8.	<ul> <li>Engine Control Room</li> <li>Main &amp; Auxiliary panels in good condition?</li> <li>Switchboard gauges in good working condition?</li> <li>Generator controls in good condition?</li> <li>Insulation matting in front of switchboards?</li> <li>Emergency lights marked?</li> <li>Electrical Cables - properly fastened, no broken fittings &amp; no cables with bare ends and in good condition?</li> <li>Main engine free of oil and water leakages?</li> <li>Exhaust gas system lagging in good condition?</li> <li>Fuel piping double walled?</li> <li>Fuel systems in satisfactory operable condition?</li> <li>Fuel oil pipes and valves free of leakages?</li> <li>Auxiliary engines/generators in good operating condition?</li> <li>Free of water and oil leaks?</li> <li>Double wall fuel pipes fitted and in good condition?</li> <li>Exhaust system lagging in good condition?</li> <li>Boilers and steam systems appear satisfactory and free of excessive leakages?</li> <li>Lagging on boiler exhaust and steam lines appear satisfactory?</li> <li>Exhaust manifold and exhaust lines in satisfactory condition?</li> <li>All necessary lagging in place and in satisfactory condition?</li> <li>All necessary lagging in place and in satisfactory condition?</li> <li>Engine room vent &amp; ducting systems in good condition?</li> <li>Pumps, valves and piping free of patches and leakages?</li> <li>Feed &amp; cooling pumps, piping and valves in good</li> </ul>					

<sup>\*</sup> Priority Item

	Purifiers clean and free of leakages?				
	Purifier room(s) free of fire hazards?				
14.	Fresh water coolers free of leakages?				
15.	Air compressors & piping, valves in good condition?				
16.*	Engine room firefighting equipment satisfactory?				
	Fixed system in operable condition?				
	Fire hoses in good condition & connected to hydrants?				
	• Piping & hydrants in good condition & free of				
	leakages?				
	Portable & non-portable extinguishers charged & in				
4 - 4	acceptable condition?				
17.*	Engine room bilges & other machinery areas free of oil,		Ш		
40	debris and other fire hazards?		$\vdash$		
18. 19.	Marine sanitation device in satisfactory condition?  Seawage Treatment plant/ Comminuting system			H	
19.	Type Approved.				
	<ul> <li>Type Approved.</li> <li>The piping arrangement for discharge (blank at</li> </ul>				
	port or not)				
20.	MARPOL Annex VI: Compliant fuel/Alternative fuel/BDN		П		
21.	Ballast Water Treatment System is operating or not.			╁╫	
21.	BWTS alarm log in order with BWMP and				
	Record book.				
	Any suspicious "by pass" operation has been				
	used (check in the log).				
	3,				
	ALL TANK VESSELS:				
22.	Cargo pumps & their prime movers in satisfactory				
	condition?				
	Pump, valves & piping free of leakages?				
23.*	Inert gas system working properly?				
	Oxygen indication & control working properly?				
	Deck-seal in satisfactory condition?				
24.*	ODM device in operable condition, including indicators?				
	ODM device in operable condition, including indicators? encies / Observations / Comments - PART 11: MACHIN	NERY A	ND EL	ECTRI	CAL
		NERY A	ND EL	ECTRI	CAL
		NERY A	ND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
		NERY A	AND EL	ECTRI	CAL
Defici	encies / Observations / Comments - PART 11: MACHIN		AND EL		CAL
Defici	encies / Observations / Comments - PART 11: MACHIN	NERY A	No	ECTRI	CAL
Defici	12: STEERING Full movement of rudder verified (35 port to 30				
PART 1.*	12: STEERING Full movement of rudder verified (35 port to 30 starboard)?	Yes	No 🗆	<b>N/A</b>	
Defici	T2: STEERING Full movement of rudder verified (35 port to 30 starboard)? Steering linkage in satisfactory condition & operating				
PART 1.*	T12: STEERING Full movement of rudder verified (35 port to 30 starboard)? Steering linkage in satisfactory condition & operating properly?	Yes	No 🗆	<b>N/A</b>	
PART 1.* 2.* 3.*	T2: STEERING Full movement of rudder verified (35 port to 30 starboard)? Steering linkage in satisfactory condition & operating properly? System free of excessive leaks?	Yes	No 🗆	<b>N/A</b>	
PART 1.*	T2: STEERING Full movement of rudder verified (35 port to 30 starboard)? Steering linkage in satisfactory condition & operating properly? System free of excessive leaks? Means of communication between the navigation bridge	Yes	No 🗆	<b>N/A</b>	
PART 1.* 2.* 3.*	T12: STEERING Full movement of rudder verified (35 port to 30 starboard)? Steering linkage in satisfactory condition & operating properly? System free of excessive leaks? Means of communication between the navigation bridge & the steering compartment satisfactory?	Yes	No 🗆	<b>N/A</b>	
PART 1.* 2.* 3.* 4.*	T12: STEERING Full movement of rudder verified (35 port to 30 starboard)? Steering linkage in satisfactory condition & operating properly? System free of excessive leaks? Means of communication between the navigation bridge & the steering compartment satisfactory? Changeover procedure diagrams posted?	Yes	No 🗆	<b>N/A</b>	
PART 1.* 2.* 3.* 4.*	T12: STEERING Full movement of rudder verified (35 port to 30 starboard)? Steering linkage in satisfactory condition & operating properly? System free of excessive leaks? Means of communication between the navigation bridge & the steering compartment satisfactory? Changeover procedure diagrams posted? • Easy to follow?	Yes	No 🗆	<b>N/A</b>	
PART 1.* 2.* 3.* 4.* 5.*	Territory (2) STEERING  Full movement of rudder verified (35 port to 30 starboard)?  Steering linkage in satisfactory condition & operating properly?  System free of excessive leaks?  Means of communication between the navigation bridge & the steering compartment satisfactory?  Changeover procedure diagrams posted?  • Easy to follow?  • Officers familiar with changeover procedures?	Yes	No 🗆	<b>N/A</b>	
PART 1.* 2.* 3.* 4.*	Territory (a) Part 11: MACHING  Full movement of rudder verified (35 port to 30 starboard)?  Steering linkage in satisfactory condition & operating properly?  System free of excessive leaks?  Means of communication between the navigation bridge & the steering compartment satisfactory?  Changeover procedure diagrams posted?  • Easy to follow?  • Officers familiar with changeover procedures?  Emergency steering system operating properly?	Yes	No 🗆	<b>N/A</b>	
PART 1.* 2.* 3.* 4.* 5.*	Territory (2) STEERING  Full movement of rudder verified (35 port to 30 starboard)?  Steering linkage in satisfactory condition & operating properly?  System free of excessive leaks?  Means of communication between the navigation bridge & the steering compartment satisfactory?  Changeover procedure diagrams posted?  • Easy to follow?  • Officers familiar with changeover procedures?	Yes	No 🗆	<b>N/A</b> □	
PART 1.* 2.* 3.* 4.* 5.*	T2: STEERING  Full movement of rudder verified (35 port to 30 starboard)?  Steering linkage in satisfactory condition & operating properly?  System free of excessive leaks?  Means of communication between the navigation bridge & the steering compartment satisfactory?  Changeover procedure diagrams posted?  • Easy to follow?  • Officers familiar with changeover procedures?  Emergency steering system operating properly?  Heading information displayed visually at emergency	Yes	No 🗆	<b>N/A</b> □	

<sup>\*</sup> Priority Item

Deficiencies / Observations / Comments - PART 12: STEERING					
DADT	142. Additional for built corriers	Vaa	Na	NI/A	Domonko
1.*	13: Additional for bulk carriers Shipper Declaration onboard	Yes	No	N/A	Remarks
2.*	Loading instruments/Loading Booklets	H	片	H	
	DOA for Grain and Grain Loading Manual (if				
	applicable)				
	Quarterly Loadicator test				
3.*	Enhanced Survey records				
4.*	Water Ingress alarm system				
5.*	De-watering system working or not.				
6.*	Draft survey report				
7.*	Cargo holds and ballast tanks internal inspection				
	record			_	
Defic	encies / Observations / Comments - PART 13: Addition	onal for	bulk c	arriers	
PART	14: Compliance with HKC &/or EU SRR	Yes	No	N/A	Remarks
	(Inventory of Hazardous Materials)				
1.*	The ship has IHM Inventory List		Ш	ΙШ	
	The list implemented by IACS approved expert  third party (not in relation to object and DO)				
	third party (not in relation to ship's Flag and RO)  Part I, II, and III are properly filled.				
	<ul> <li>Part I, II, and III are properly filled.</li> <li>If there is any alteration or major conversion, the</li> </ul>				
	list is updated on this date.				
2.*	Confirmation that IHM Part I identify at least HMs listed				
	in Appendix 1 of 2015 IMO Guidelines for IHM.				
Defic	iencies / Observations / Comments - PART 14: Compl	iance v	vith HK	C &/or	EU SRR

<sup>\*</sup> Priority Item

PART 15: GENERAL REMARKS	
(General comments regarding the overall condition of the vessel OBSERVATIONS and/or RECOMMENDATIONS. Take note that	& the competence of the officers & crew as well as t DEFICIENCIES should be listed on "Form FSIdef")
CURRENT OPERATIONAL & VOYAGE CIRCUMSTANCES:	
DOCUMENTATION & RECORDS:	
THE DECKE & FITTINGS.	
HULL, DECKS & FITTINGS:	
MACHINERY & ELECTRICAL:	
ACCOMMODATIONS (Internal / External):	
SAFETY & FIREFIGHTING:	
OALETT GTINETIONTING.	
CREW FAMILIARITY:	
OBSERVATIONS & RECOMMENDATIONS DISCUSSED WITH	MASTER & CHIEF ENGINEER (provide summary):
Name of FSI Inspector:	Name of Master (or Representative):
•	, ,
Signature of FSI Inspector:	Signature of Master (or Representative):
organization of interpretation.	orgination of musici (or representative).

<sup>\*</sup> Priority Item